

Oklahoma STI Summary Statistics: Syphilis in Oklahoma, 2018

Cases	Primary and Secondary Syphilis		Early, Non-Primary Non-Secondary Syphilis	
	Number	(%)	Number	(%)
Total	531	100.00	342	100.00
Age (in years)	Number	(%)	Number	(%)
15 – 19	28	5.27	19	5.56
20 – 24	88	16.57	59	17.25
25 – 29	84	15.82	86	25.15
30 – 34	108	20.34	59	17.25
35 – 39	88	16.57	37	10.82
40 – 44	45	8.47	28	8.19
45 – 49	36	6.78	22	6.43
50 and over	54	10.17	32	9.36
Race/Ethnicity	Number	(%)	Number	(%)
American Indian/Alaska Native	36	6.78	22	6.43
Asian/Pacific Islander	6	1.13	4	1.17
Black	114	21.47	72	21.05
Hispanic (All Races)	49	9.23	43	12.57
White	279	52.54	167	48.83
Multiple Races	46	8.66	34	9.94
Other/Unknown	1	0.19	0	0.00
Gender	Number	(%)	Number	(%)
Female	144	27.12	109	31.87
Male	387	72.88	233	68.13
Risk/Exposure	Number	(%)	Number	(%)
Bisexual	50	9.42	37	10.82
Heterosexual	291	54.80	181	52.92
Men Who Have Sex with Men	156	29.38	106	30.99
No Reported Risk	32	6.03	18	5.26
Other	2	0.38	0	0.00
Metropolitan Statistical Area	Number	(%)	Number	(%)
Lawton MSA	15	2.82	10	2.92
OKC MSA	252	47.46	179	52.34
Tulsa MSA	178	33.52	94	27.49
Non-MSA	86	16.20	59	17.25

*As of 2016, the Lawton MSA includes Caddo County and Comanche County. In previous years, this MSA only included Comanche County.

**The sum of the percentages may not equal 100.0% due to rounding.